MARVELFIT*USA*

141.04

a 11

2024

CATALOGUE

ARVEL FITUSA

1111

PREMIUM QUALITY Quality is Our PRIDE

Due to the insistence on high quaity and affordable pricing, Marvelfitusa stands out among manufacturers throughout USA and wordwide. It's a reputation we are proud of.

2

RAW MATERIALS

Our attention to production quality is second to none.

Our standards include using 3mm thickness pipe, using the best component parts and applying the most efficient assembly process.

That's why our products stand the test of time.

AWARDS

We have received a number of awards for excellence of product quality :

- Award for excellence in public sports in USA
- Award for best enterprise
- · Award for excellence in public sports in Anhui



SELF-DESIGN They Copy, We Design

If quality is the soul of a company, then innovation is its heartbeat.

From the towering parabola designed 73 series to the simplest device for sky yoga, our standards of detail and quality can be seen in every welded joint, powder-coated finish, the material used, and the training angle.

We believe that training equipment should feel just right for the user. That' s why we have been dedicated to build smooth and sturdy equipment, giving the user a sense of comfort and confidence that helps them get the best possible workout.

OVER 40 PATENTS

We hold more than 40 product patents :

- Utility Model Patent Certificates Appearance
- Design Patent Certificates

中华人民共和国国家知识产 STATE NTELLECTUAL PROPERTY OFFICE OF THE RECPLES

te of Utility Model Patent

MARVELFITIM Self-Design Gym Equipment Expert



2 In 1 Combo Multi Gym 3 Station 6 Function

Model: 5336

FEATURES

- 1. Main frame adopts 50*100*3.0mm rectangular pipe, functional area adopts 50*120*3mm flat oval pipe, movement arm uses 80*40*3mm flat oval pipe, and the joint pipe adopts 50*120*3mm flat oval pipe.
- 2. Functions: shoulder / chest press, Leg Extension / Prone Leg Curl; Lat Pull Down / Pulley
- 3. The whole machine is designed according to the principle of Ergonomic to ensure the scientific movement angle.
- 4. Cushion with MC foaming filler, PU leather. ABS guard cover.
- 5. Easy operation, "One hand operation" can easily to change the station with one hand.
- 6. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and longterm use
- 8. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.

SPECIFICATIONS

N.W.: 581kgs/1281lbs G.W.: 781kgs/1722 lbs Installation size: 3000*2330*2140mm/118"*92*84in Weight stack: shoulder / chest press: 90 kg/198lbs Leg Extension / Prone Leg Curl: 90 kg/198lbs Lat Pull Down / Pulley : 100 kg/220lbs



2 In 1 Combo Multi Gym 4 Station 8 Function

Model: 5348

FEATURES

- 1. Main frame adopts 50*100*3.0mm rectangular pipe, functional area adopts 50*120*3mm flat oval pipe, movement arm uses 80*40*3mm flat oval pipe, and the joint pipe adopts 50*120*3mm flat oval pipe.
- Functions: Shoulder / Chest Press:; Leg Extension / Prone Leg Curl: Lat Pull Down / Pulley ; Biceps Curl / Triceps Extension
- 3. The whole machine is designed according to the principle of Ergonomic to ensure the scientific movement angle.
- 4. Easy operation, "One hand operation" can easily to change the station with one hand.
- 5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- 6. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
- 7. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.

SPECIFICATIONS

N.W.: 790kgs/1742 lbs G.W.: 1040kgs/2293 lbs Installation size: 3500*2880*2140mm Weight stack: Shoulder / Chest Press: 90 kg/198lbs Leg Extension / Prone Leg Curl: 90 kg/198lbs Lat Pull Down / Pulley : 100 kg/220lbs Biceps Curl / Triceps Extension: 70 kg/154lbs



Model: 6280

FEATURES

- A multi-faceted piece of equipment that can be customized with various add-ons, configurations and setups to provide exercisers with nearly limitless workout variety. Allowing up to four exercisers at once, the multi 4 stations is perfect for group training. Cable motion employs user-defined paths of motion that allow for a nearly endless variety of strength training options that builds balance, stability, and power.
- 2. Main frame adopts φ 89*3.0 circle pipe, functional area adopts φ 76*3.0mm circle pipe, functional arm adopts φ 60*3mm circle pipe, joint pipe adopts φ 76*3mm circle pipe.
- 3. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- 4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
- 5. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.



SPECIFICATIONS

N.W.: 699kgs/1541bs G.W.:789kgs/1424lbs Installation size: 3550x2100x2400mm

Model: 6280A

FEATURES

- 1. A multi-faceted piece of equipment that can be customized with various add-ons, configurations and setups to provide exercisers with nearly limitless workout variety. Allowing up to four exercisers at once, the multi 6 stations is perfect for group training. Cable motion employs user-defined paths of motion that allow for a nearly endless variety of strength training options that builds balance, stability, and power.
- Main frame adopts φ89*3.0 circle pipe, functional area adopts φ76*3.0mm circle pipe, functional arm adopts φ60*3mm circle pipe, joint pipe adopts φ76*3mm circle pipe.
- 3. high density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- 4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
- 5. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.



SPECIFICATIONS

N.W.: 800kgs/1764bs G.W.:920kgs/2183lbs Installation size: 5360*3530*2400mm

Model: 6280B

FEATURES

- 1. A multi-faceted piece of equipment that can be customized with various add-ons, configurations and setups to provide exercisers with nearly limitless workout variety. Allowing up to four exercisers at once, the multi 9 stations is perfect for group training. Cable motion employs user-defined paths of motion that allow for a nearly endless variety of strength training options that builds balance, stability, and power 1
- 2. Main frame adopts φ 89*3.0 circle pipe, functional area adopts φ 76*3.0mm circle pipe, functional arm adopts φ 60*3mm circle pipe, joint pipe adopts φ 76*3mm circle pipe.
- 3. 2high density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- 4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
- 5. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.



SPECIFICATIONS

N.W.: 1279kgs/2819lbs G.W.:1629kgs/3591bs Installation size: 6660*3530*2400mm

Model: 6280C

FEATURES

- 1. A multi-faceted piece of equipment that can be customized with various add-ons, configurations and setups to provide exercisers with nearly limitless workout variety. Allowing up to four exercisers at once, the multi 14 stations is perfect for group training. Cable motion employs user-defined paths of motion that allow for a nearly endless variety of strength training options that builds balance, stability, and power.
- Main frame adopts φ89*3.0 circle pipe, functional area adopts φ76*3.0mm circle pipe, , functional arm adopts φ60*3mm circle pipe, joint pipe adopts φ76*3mm circle pipe.
- 3. 2high density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
- 4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
- 5. Japan made wire cable, with 6*19+1*75 coated wire which can withstand 1400kg strength.



N.W.: 1958kgs/4317bs G.W.:2328kgs/5132bs Installation size: 11000*3530*2400mm





marvelfitusa.com

 \bigcirc

O 25 Swift Ct Clifton NJ 07014, New york USA.

info@marvelfitusa.com

+1(226)8998015