

**MARVELFITUSA**



2024

CATALOGUE

## PREMIUM QUALITY

Quality is Our PRIDE

Due to the insistence on high quality and affordable pricing, maevelfit usa stands out among manufacturers throughout USA and worldwide. It's a reputation we are proud of.

## RAW MATERIALS

Our attention to production quality is second to none.

Our standards include using 3mm thickness pipe, using the best component parts and applying the most efficient assembly process.

That's why our products stand the test of time.

## AWARDS

We have received a number of awards for excellence of product quality :

- Award for excellence in public sports in USA
- Award for best enterprise
- Award for excellence in public sports in Anhui

2023

## SELF-DESIGN

### They Copy, We Design

If quality is the soul of a company, then innovation is its heartbeat.

From the towering parabola designed 73 series to the simplest device for sky yoga, our standards of detail and quality can be seen in every welded joint, powder-coated finish, the material used, and the training angle.



We believe that training equipment should feel just right for the user. That's why we have been dedicated to build smooth and sturdy equipment, giving the user a sense of comfort and confidence that helps them get the best possible workout.

## OVER 40 PATENTS

We hold more than 40 product patents :

- Utility Model Patent Certificates Appearance
- Design Patent Certificates

Color simple (Can be customized)



**MARVELFITUSA**

## Seated Shoulder Press

**Model:** 7301

### FEATURES

1. Shoulder Press has independent converging arms that produce a natural overhead pressing motion. , The dual position handles add to user comfort and exercise variety.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:247kgs/545lbs G.W.:347kgs/765lbs

Installation size: 1630\*1400\*1610mm/64\*55\*63in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Deltoid





## Incline Shoulder Press

**Model:** 7301A

### FEATURES

1. Incline Shoulder Press has independent converging arms that produce a natural overhead pressing motion. , The dual position handles add to user comfort and exercise variety.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:245kgs/540lbs G.W.:345kgs/761lbs

Installation size: 1630\*1650\*1610mm/64\*65\*63in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Deltoid



## Shoulder Pull Up

**Model:** 7302

### FEATURES

1. Seated shoulder lifting machines is designed for people who get pain or disabled for doing shoulder press. It has independent diverging arms that produce a natural motion. , The rotating handles add to user comfort and exercise variety.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:230kgs/507lbs G.W.:330kgs/728 lbs

Installation size: 1510\*1225\*1610mm/59\*48\*63in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Deltoid



## Seated Lateral Raise

**Model: 7303**

### FEATURES

1. Lateral Raise replicates the body's natural strength curve throughout the entire range-of-motion, It has independent diverging arms that produce a natural motion.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. Alloy steel slide bar to ensure smooth movement.
5. Anodized aluminum alloy end cap, durable and looks nice.
6. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
7. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
8. Cable inside the pipe, makes the machine organized.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 250kgs/551lbs G.W.:350kgs/772lbs

Installation size: 1250\*890\*1610mm/49\*35\*63in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Deltoid





## Seated Chest Press Machine

**Model:** 7304

### FEATURES

1. This Chest Press features independent, converging arms that produce a natural pressing motion. It is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 250kgs/551 lbs    G.W.:350kgs/772lbs

Installation size: 1690\*870\*1610mm/ 67\*34\*63 in

Weight stacks: 90kg-18pcs/198 lbs-18pcs

Muscle: Lower Chest



## Mid Chest Press

**Model: 7305**

### FEATURES

1. This higher Chest Press features independent, converging arms that produce a natural pressing motion. This design is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 254kgs/560lbs G.W.:354kgs/780lbs

Installation size: 1680\*950\*1815mm/66\*37\*71 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Upper Chest



## Seated Upper Chest Press

**Model:** 7305A

### FEATURES

1. This upper Chest Press features independent, converging arms that produce a natural pressing motion. This chest press design is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 260kgs/573lbs    G.W.:360kgs/794 lbs

Installation size: 1680\*950\*1815mm/66\*37\*71 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Higher Chest



## Incline chest press

**Model:** 7306

### FEATURES

1. This incline Chest Press features independent, converging arms that produce a natural pressing motion. This chest press design is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 260kgs/573lbs G.W.:360kgs/794 lbs

Installation size: 1680\*950\*1815mm/66\*37\*71 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Higher Chest



## Pectoral Butterfly

**Model:** 7307

### FEATURES

1. This incline Chest Press features independent, converging arms that produce a natural pressing motion. This chest press design is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 285kgs/628lbs    G.W.:385kgs/849 lbs

Installation size: 1830\*1650\*1610mm/72\*65\*63 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Higher Chest



## Cross Arm Trainer

**Model: 7308**

### FEATURES

1. The Lateral pectoral muscle Trainer is created by Yanre , no other company have, For professional users who want to engrave chest muscles more perfectly,
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. Alloy steel slide bar to ensure smooth movement.
5. Anodized aluminum alloy end cap, durable and looks nice.
6. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
7. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
8. Cable inside the pipe, makes the machine organized.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 215kgs/474lbs    G.W.:315kgs/694 lbs

Installation size: 1290\*1050\*1713mm/ 51\*41\* 67 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: inner lower chest





## Pectoral Fly / Rear Deltoid

**Model:** 7309

### FEATURES

1. Pectoral Fly/Rear Deltoid is a two-in-one machine that offers Pectoral Fly and Rear Deltoid exercises, rotated grips provide a full range of protection for your wrist, especially when using heavy weight training
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. Alloy steel slide bar to ensure smooth movement.
5. Anodized aluminum alloy end cap, durable and looks nice.
6. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
7. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
8. Cable inside the pipe, makes the machine organized.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 215kgs/474lbs    G.W.:315kgs/694 lbs

Installation size: 1290\*1050\*1713mm/ 51\*41\* 67 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: inner lower chest



## Biceps Curl

**Model:** 7310

### FEATURES

1. 73 series Biceps Curl has independent moving arms and pivoting handles to fit most forearm lengths
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. Alloy steel slide bar to ensure smooth movement.
5. Anodized aluminum alloy end cap, durable and looks nice.
6. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
7. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
8. Cable inside the pipe, makes the machine organized.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 228kgs/503lbs      G.W.:328kgs/723lbs

Installation size: 1560\*930\*1610mm/61\*37\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Biceps



## Tricep Dip

**Model: 7311**

### FEATURES

1. 73 series Triceps dip features rotating EZ pressing handles for exercise variety.
2. It has independent moving arms offers natural pressing motion.
3. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. Alloy steel slide bar to ensure smooth movement.
6. Anodized aluminum alloy end cap, durable and looks nice.
7. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
8. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
9. Cable inside the pipe, makes the machine organized.
10. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
11. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 230kgs/507lbs      G.W.:330kgs/728lbs  
Installation size: 1510\*1225\*1610mm/59\*48\*63 in  
Weight stacks: 70kg-14pcs/154lbs-14pcs  
Muscle: Triceps



## Triceps Extension

**Model: 7312**

### FEATURES

1. 73 series Triceps extension has independent moving arms and pivoting handles to fit most forearm lengths
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. Alloy steel slide bar to ensure smooth movement.
5. Anodized aluminum alloy end cap, durable and looks nice.
6. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
7. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
8. Cable inside the pipe, makes the machine organized.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:227kgs/500lbs    G.W.:327kgs/721lbs

Installation size: 1560\*930\*1610mm/61\*37\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Triceps



## Low Row

**Model: 7313**

### FEATURES

1. Low pull is a training device for back muscle . ergonomically rotating handles allow for natural user defined movement, greater variety, and increased muscular involvement. It has independent diverging system make natural exercise motion.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 190kgs/419lbs    G.W.:290kgs/639lbs

Installation size: 1660\*1070\*1610mm/65\*42\*63 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Dorsal



## Seated Row

**Model: 7314**

### FEATURES

1. Seated row is a training device for back muscle . ergonomically rotating handles allow for natural user defined movement, greater variety, and increased muscular involvement. It has independent diverging system make natural exercise motion.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 238kgs/525lbs    G.W.:338kgs/745lbs

Installation size: 1465\*1020\*1610mm/58\*40\*63 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Dorsal





## 45° Upper back Pull down

**Model: 7314A**

### FEATURES

1. Upper back row is a training device for back muscle . ergonomically rotating handles allow for natural user defined movement, greater variety, and increased muscular involvement. It has independent diverging system make natural exercise motion.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 271kgs/597lbs      G.W.:371kgs/818 lbs

Installation size: 1400\*1145\*2126mm55\*45\*84 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Dorsal



## Lat Pull Down

**Model: 7315**

### FEATURES

1. High pulldown is a training device for back muscle . ergonomically rotating handles allow for natural user defined movement, greater variety, and increased muscular involvement. It has features independent diverging movement for a natural-feeling downward pulling motion.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 271kgs/597lbs      G.W.:371kgs/ 818 lbs  
Installation size: 1400\*1145\*2126mm55\*45\*84 in  
Weight stacks: 90kg-18pcs/198lbs-18pcs  
Muscle: Dorsal



## Assisted Dip/ Chinning

**Model: 7316**

### FEATURES

1. Select Assist Dip is a fundamental part of the strength training progression. Standing footplate is easy to use for beginners, and multi-position handles allow exercise variation
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel slide bar to ensure smooth movement.
4. Anodized aluminum alloy end cap, durable and looks nice.
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. POM material pulley , CNC processing, customized high-quality bearing to withstand High-intensity and long-term use
7. Cable inside the pipe, makes the machine organized.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 222kgs/489lbs    G.W.:322kgs/709 lbs

Installation size: 1250\*1000\*2450mm/ 49\*39\*96 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Triceps, Chest, Dorsal



## Back Extension

**Model: 7317**

### FEATURES

1. Back Extension features a five-position adjustable start mechanism to accommodate a wide range of users.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel guide rod to ensure smooth movement.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. Integrated die cast aluminum alloy adjustable movement plate, durable and sleek
7. Integrated die cast aluminum alloy foot pedal.
8. Anodized aluminum alloy end cap, durable and looks nice.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 220kgs/485 lbs    G.W.:320kgs/705lbs

Installation size: 1260\*1100\*1610mm/ 50\*43\*63 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Dorsal



## Upper/ Mid Abdominal Trainer

**Model: 7318**

### FEATURES

1. Select Abdominal Crunch is a fundamental part of the strength training progression, Ankle pads easily adjust to provide stability and comfort.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel guide rod to ensure smooth movement.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. Integrated die cast aluminum alloy adjustable movement plate, durable and sleek
7. Integrated die cast aluminum alloy foot pedal.
8. Anodized aluminum alloy end cap, durable and looks nice.
9. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:229kgs/505lbs    G.W.:329kgs/725lbs

Installation size: 1200\*1160\*1610mm/ 47\*46\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Abdominal



## Lower Abdominal Trainer

**Model: 7318A**

### FEATURES

1. Select lower abdominal trainer, Unique design from Yanre target low ab muscle
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel guide rod to ensure smooth movement.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. Integrated die cast aluminum alloy adjustable movement plate, durable and sleek
7. Anodized aluminum alloy end cap, durable and looks nice.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 230kgs/507lbs    G.W.:330kgs/728lbs  
Installation size: 1480x1100x1610mm/58\*43\*63in  
Weight stacks: 70kg-14pcs/154lbs-14pcs  
Muscle: Lower abdominal





## Rotary Torso

**Model: 7319**

### FEATURES

1. Torso Rotation is designed to provide excellent stabilization and limit lower back stress for an effective workout.
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel guide rod to ensure smooth movement.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
6. Integrated die cast aluminum alloy foot pedal.
7. Anodized aluminum alloy end cap, durable and looks nice.
8. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
9. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.
10. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 252kgs/556lbs    G.W.:352kgs/776lbs

Installation size: 1200\*1060\*1610mm/ 47\*42\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Abdominal, obliquus externus abdominal



## Side training

**Model: 7319A**

### FEATURES

1. Unique design from Marvelfit which is designed focusing on externus oblique muscle, This device is for the professional facilities Provide users with all-round muscle training, don't miss any training of small muscle groups
2. Main frame adopts 75\*130\*3.0 semi-elliptic pipe , Functional area adopts 58\*101\*3.0 semi-elliptic pipe , movement arms adopt 48\*76\*3.0 semi-elliptic pipe , joint pipe adopts 70\*140\*3.0 rectangular pipe. All pipes are Q235 qualified.
3. Alloy steel guide rod to ensure smooth movement.
4. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
5. High density foam upholstery, "furniture grade" PU leather ,, and integral ABS guard cover.
6. Anodized aluminum alloy end cap, durable and looks nice.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 260kgs/573bs    G.W.:360kgs/794lbs

Installation size: 1200\*1060\*1610mm/ 47\*42\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Abdominal, obliquus externus abdominal



## Multi Hip

**Model: 7320**

### FEATURES

1. Select Multi Hip is a fundamental part of the strength training progression. Combo machine with a bidirectional cam system that has immediate resistance pick-up for high-speed training, the adjustable platform accommodates a wide range of users
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 252kgs/556lbs      G.W.:352kgs/776lbs

Installation size: 1290\*1080\*1610mm/51\*43\*63in

Weight stacks: 70kg-14pcs/154lbs-14pcs

Muscle: Hip, Buttocks, Leg



## Gluteus Maximus Trainer

**Model: 7321**

### FEATURES

1. The glute machine is the ideal exercise machine for targeted training of the buttocks in the gym – the machine's back leg extension is considered one of the best exercises for the butt. Rotating foot plate offers variety exercises..
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pully , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 224kgs/494lbs G.W.:324kgs/714lbs

Installation size: 1220\*890\*1610mm/ 48\*35\*63 in

Weight stacks: 70kg-14pcs/154lbs-14pcs



## Adduction

**Model: 7322**

### FEATURES

1. Select Hip Adduction is a fundamental part of the strength training progression. Adjustable start position offers easy entry and exit, and the front-mounted stack acts as a privacy screen
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe, movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:238kgs/525lbs    G.W.:338kgs/745 lbs

Installation size: 1360\*1160\*1610mm/ 54\*46\*63 in

Weight stacks: 90kg-18pcs/198 lbs-18pcs

Muscle: Inner thigh



## Abduction

**Model: 7323**

### FEATURES

1. Select Hip Abduction is a fundamental part of the strength training progression Adjustable start position offers easy entry and exit, and the front-mounted stack acts as a privacy screen
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe, movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:238kgs/525lbs     G.W.:338kgs/745lbs  
Installation size: 1360\*1160\*1610mm/ 54\*46\*63 in  
Weight stacks: 90kg-18pcs/198lbs-18pcs  
Muscle: Outer thigh





## Adduction /Abduction

**Model: 7360**

### FEATURES

1. Select Hip Abduction is a fundamental part of the strength training progression Adjustable start position offers easy entry and exit, and the front-mounted stack acts as a privacy screen
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:238kgs/525lbs      G.W.:338kgs/745lbs  
Installation size: 1360\*1160\*1610 mm/ 54\*46\*63 in  
Weight stacks: 90kg-18pcs/198lbs-18pcs  
Muscle: Outer thigh



## Leg Extension

**Model: 7324**

### FEATURES

1. Select Leg Extension The leg extension machine is used to build and strengthen the quadriceps of the front of the thighs. Use it as part of a muscle building routine. All adjustments are accessible from the seated position, and the adjustable start position provides five different starting points.
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 210kgs/463lbs    G.W.:310kgs/ 683 lbs

Installation size: 1600\*1050\*1610mm/ 63\*41\*63 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Quadriceps



## Seated Leg Curl

**Model:** 7325

### FEATURES

1. The leg curl, also known as the hamstring curl, is an isolation exercise that targets the hamstring muscles. Adjustable back and thigh pads for better alignment and stabilization, and adjustable start position provides five different starting points.
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: : 219kgs/483lbs    G.W.:319kgs/703lbs  
Installation size: 1650\*1070\*1610mm/ 65\*42\*63 in  
Weight stacks: 90kg-18pcs/198lbs-18pcs  
Muscle: Biceps Femoris



## Prone Leg Curl

**Model: 7326**

### FEATURES

1. The lying leg curl is a great exercise to isolate the hamstrings. Divergent angle between hip and chest pads minimizes lower-back stress, and adjustable start position provides five different starting points
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: : 220kgs/485lbs      G.W.:320 kgs/ 705lbs  
Installation size: 1680x1060x1610mm/66\*42\*63in  
Weight stacks: 90kg-18pcs/198lbs-18pcs  
Muscle: Biceps Femoris



## Power Squat

**Model: 7327**

### FEATURES

1. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. POM material pully , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
4. Cable inside the pipe, makes the machine organized.
5. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
6. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:268kgs/591lbs    G.W.:368kgs/811lbs

Installation size: 2015\*1280\*1610mm / 79\*50\*63in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Leg, Hip



## Seated Leg Press

**Model:** 7328

### FEATURES

1. Seated leg press features diverging independent motion that produce a natural exercise. This design is ideal for encouraging exercisers to push themselves and take the next step in their fitness and strength training journey.
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:310kgs/485lbs    G.W.:410kgs/904lbs

Installation size: 2120\*1100\*1610mm / 66\*42\*63in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Leg, Hip



## 45. Leg Press

**Model:** 7329

### FEATURES

1. 45 leg press features with Alloy steel slide bar with diameter of 75MM, hard chrome plating surface treatment, to ensure the durable, smooth movement process.
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.:260kgs/573lbs     G.W.:360kgs/ 794lbs

Installation size: 2800\*1360\*1580mm/110\*54\*62in

Muscle: Leg, Hip





## Seated Calf

**Model:** 7330

### FEATURES

1. Select seated calf, is our created by marvelfit , it is very unique machines with is offer easy use for exercisers who not a fan of plated loaded calf machines
2. Main frame adopts , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. POM material pully , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
5. Cable inside the pipe, makes the machine organized.
6. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
7. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 244kgs/538lbs      G.W.:344kgs/758 lbs

Installation size: 1660\*950\*1610mm/ 65\*37\*63 in

Weight stacks: 100kg-20pcs/220lbs-20pcs

Muscle: Musculus Gastrocnemius, Soleus



## Standing Calf

**Model: 7331**

### FEATURES

1. Select standing calf, Adjustable pad height accommodate all users, and contoured non-slip foot plates allow users' ankles to move in a full range-of-motion.
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 268kgs/591lbs    G.W.:368kgs/811lbs

Installation size: 1315\*1100\*1672mm/ 52\*43\*66 in

Weight stacks: 90kg-18pcs/198lbs-18pcs

Muscle: Musculus Gastrocnemius, Soleus



## Adjustable Crossover

**Model: 7332**

### FEATURES

1. Adjustable crossover, it is popular machines for facilities, sleek design of die casting aluminum slide bar makes adjustment extremely easy and smooth
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: : 377kgs/831lbs    G.W.:427kgs/941lbs  
Installation size: 3850\*700\*2295mm/ 152\*28\*90 in  
Weight stacks: 140kg-28pcs/309lbs-28pcs  
Muscle: Body main groups



## Functional trainer

**Model: 7332A**

### FEATURES

1. Dual Adjustable Pulley offers more than 60 kinds of exercises, it is more and more popular for both facility and home use, sleek design of die casting aluminum slide bar makes adjustment extremely easy and smooth
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. POM material cam , CNC machining parts, POM is also called "super steel" Good lubrication and abrasion, makes the movement smooth and comfortable
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. POM material pulley , CNC processing, customized high quality bearing to withstand High-intensity and long-term use
6. Cable inside the pipe, makes the machine organized.
7. Full shroud, 4mm thickness ABS virgin material, durable and eco friendly
8. Japan made wire cable, with 6\*19+1\*75 coated wire which can withstand 1400kg strength.

### SPECIFICATIONS

N.W.: 360kgs/794lbs    G.W.:410kgs/904lbs

Installation size: 1765\*1060\*2220mm/ 152\*28\*90 in

Weight stacks: 140kg-28pcs/309lbs-28pcs

Muscle: Body main groups



## Smith Machine

**Model: 7333**

### FEATURES

1. Smith machines, exercisers only need to turn the wrist slightly with our Patented hook device to hook up the bar,
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. Counter balance design, easy for any exercisers, equipped with safety mechanism to ensure the safe use of the process.
4. 8mm thick stainless steel hook plate, 10.8 high strength bolt connection.
5. Equipped with a barbell hanging rod, can meet the training needs.
6. 2000lb capacity Olympic bar, long service life, no deformation.

### SPECIFICATIONS

N.W.:228kgs/503lbs    G.W.:278kgs/613lbs

Installation size: 2502\*1150\*2310mm/ 99\*45\*91 in

Muscle: Body main groups



## 3D Smith Machine

**Model:** 7333A

### FEATURES

1. Smith machines, exercisers only need to turn the wrist slightly with our Patented hook device to hook up the bar,
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. Counter balance design, easy for any exercisers, equipped with safety mechanism to ensure the safe use of the process.
4. 8mm thick stainless steel hook plate, 10.8 high strength bolt connection.
5. Equipped with a barbell hanging rod, can meet the training needs.
6. 2000lb capacity Olympic bar, long service life, no deformation.

### SPECIFICATIONS

N.W.:280kgs/617lbs    G.W.:330kgs/728lbs

Installation size: 2430\*1783\*2440 / 95\*70\*96 in

Muscle: Body main groups



## Power Cage

**Model:** 7334

### FEATURES

1. Power cage,
2. Main frame adopts 75\*130\*3.0mm semi-elliptic pipe , Functional area adopts 58\*101\*3.0mm semi-elliptic pipe , movement arms adopt 48\*76\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. All pipes are Q235 qualified.
3. 8mm thick stainless steel hook plate, 10.8 high strength bolt connection.
4. Equipped with a barbell hanging rod, can meet the training needs.

### SPECIFICATIONS

N.W.: 147kgs/324lbs    G.W.:197kgs/434lbs

Installation size: 1870\*1460\*1900mm/ 74\*57\*75 in

Muscle: Body main groups





## T bar row

**Model:** 7336

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. Anodized aluminum alloy end cap, durable and nice looking.
3. Stainless steel safety bar holder with thickness of 10mm.



### SPECIFICATIONS

N.W.: 62kgs/ 137lbs      G.W.:112kgs/247 lbs  
Installation size: 1570\*830\*500mm mm / 62\*33\*20 in

## Biceps Curl Rack

**Model:** 7337

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Anodized aluminum alloy end cap, durable and nice looking.
4. Stainless steel safety bar holder with thickness of 10mm.

### SPECIFICATIONS

N.W.: 40kgs/ 88 lbs      G.W.:90kgs/198lbs

Installation size: 970\*830\*900mm mm / 38\*33\*35 in

Muscle: Biceps



## Olympic Incline Bench

**Model:** 7338

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Anodized aluminum alloy end cap, durable and nice looking.
4. Stainless steel safety bar holder with thickness of 10mm.

### SPECIFICATIONS

N.W.: 102kgs/225lbs    G.W.:152kgs/335lbs

Installation size: 1835\*1740\*1340mm/72\*69\*53in



## Olympic Flat Bench

**Model:** 7339

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Anodized aluminum alloy end cap, durable and nice looking.
4. Stainless steel safety bar holder with thickness of 10mm.



### SPECIFICATIONS

N.W.: 100kgs/220lbs    G.W.:150kgs/331lbs

Installation size: 1835\*1485\*1125mm/ 72\*70\*44 in

Muscle: Chest

## Olympic Decline Bench

**Model:** 7340

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Anodized aluminum alloy end cap, durable and nice looking.
4. Stainless steel safety bar holder with thickness of 10mm.

### SPECIFICATIONS

N.W.: 100kgs/220lbs    G.W.:150kgs/331lbs

Installation size: 1835\*1785\*1125mm/ 72\*70\*44 in

Muscle: Chest



## Adjustable Ab Board

**Model: 7341**

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. Exercise angle from 45°to 90°
3. Backrest can be adjusted for different user and exercise modes.
4. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
5. Anodized aluminum alloy end cap, durable and nice looking.

### SPECIFICATIONS

N.W.: 71kgs/157lbs      G.W.:121kgs/267lbs  
Installation size: 1720\*725\*1340mm/68\*29\*53in  
Muscle: Abdominal



## Angled Ab Board

**Model:** 7342

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Anodized aluminum alloy end cap, durable and nice looking.



### SPECIFICATIONS

N.W.: 41kgs/90lbs    G.W.:51kgs/112lbs

Installation size: 1525\*665\*950mm/ 60\*26\*37 in

Muscle: Abdominal



## Adjustable Roman Bench

**Model: 7343**

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. Exercise angle 45°
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
4. Adjustable foot plate equipped with dual slide bars to make the machine suitable for different users.
5. Anodized aluminum alloy end cap, durable and nice looking.

### SPECIFICATIONS

N.W.: 43kgs/95lbs      G.W.:93kgs/205 lbs

Installation size: 1282\*862\*933mm/ 50\*34\*37 in

Muscle: Abdominal Waist



## Knees Up/Dip

**Model:** 7345

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.
3. Integrated die cast aluminum alloy feet pedal.

### SPECIFICATIONS

N.W.: 59kgs/130lbs      G.W.:109kgs/240 lbs  
Installation size: 1077\*783\*1643mm/42\*31\*65in  
Muscle: Abdominal Chest, Triceps



## Multifunction Adjustable Bench

**Model:** 7346

### FEATURES

1. Patented product, the seat automatically adjusts the angle according to the adjustment of the back to meet the needs of different sports. Slim back pad to fit the shoulder blades without any obstruction when users fully expand the chest.
2. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather, and integral ABS guard cover.



### SPECIFICATIONS

N.W.: 29kgs/64lbs      G.W.: 79kgs/174 lbs  
Installation size: 1265\*526\*1095mm/ 50\*21\*43in

## Decline Adjustable Bench

**Model:** 7346A

### FEATURES

1. Patented product, the seat automatically adjusts the angle according to the adjustment of the back to meet the needs of different sports. Slim back pad to fit the shoulder blades without any obstruction when users fully expand the chest.
2. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
3. High density foam upholstery, "furniture grade" PU leather, and integral ABS guard cover.



### SPECIFICATIONS

N.W.: 62kgs/137lbs      G.W.:112kgs/ 247 lbs

Installation size: 1600x630x1340mm / 63\*25\*53in

## Multifunctional Flat Bench

**Model:** 7347

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.

### SPECIFICATIONS

N.W.: 22kgs/49lbs      G.W.:72kgs/159 lbs  
Installation size: 1153\*536\*485mm/ 45\*21\*19 in



## Incline Bench 30°

**Model: 7348**

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. Exercise angle 30°
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.

### SPECIFICATIONS

N.W.: 27kgs/60lbs      G.W.:77kgs/169 lbs

Installation size: 1032\*525\*1087mm/ 45\*21\*31 in



## Incline Bench 45°

**Model: 7349**

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe. Q235 qualified.
2. Exercise angle 45°
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.

### SPECIFICATIONS

N.W.: 27kgs/60lbs      G.W.:37kgs/82lbs

Installation size: 1032\*525\*1087mm/ 45\*21\*31 in





## Incline Bench 60°

**Model:** 7350

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe , joint pipe adopts 70\*140\*3.0mm rectangular pipe, Q235 qualified.
2. Exercise angle 60°
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.

### SPECIFICATIONS

N.W.: 27kgs/60lbs      G.W.:77kgs/169lbs  
Installation size: 1032\*525\*1087mm/ 45\*21\*31 in



## Plate Rack

**Model:** 7351

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, Q235 qualified.
2. 4 sleeve bars , anti rusted hard chrome and strong inside construction makes durable and high capacity

### SPECIFICATIONS

N.W.: 51kgs/ 112 lbs      G.W.:101kgs/223 lbs  
Installation size: 610\*525\*915mm/24\*21\*36in



## 10 Pairs Dumbbell Rack

**Model:** 7353

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, Q235 qualified.
2. Two layers, 10 pair of dumbbells.



### SPECIFICATIONS

N.W.: 74kgs/163lbs      G.W.:94kgs/207lbs

Installation size: 2422\*660\*940mm/ 95\*26\*37 in

## Five Tiers Barbell Rack

**Model:** 7354

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, Q235 qualified.
2. Stainless steel barbell holder with thickness of 10mm, safe and durable
3. Fit for 9 barbells.

### SPECIFICATIONS

N.W.: 80kgs/176lbs      G.W.: 120kgs/265 lbs  
Installation size: 560\*850\*1300mm/22\*33\*51in



## Utility Bench

**Model:** 7355

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, Q235 qualified.
2. The right angle of the seat and backpad is designed to ensure the better training result.
3. High density foam upholstery, "furniture grade" PU leather , and integral ABS guard cover.

### SPECIFICATIONS

N.W.: 20kgs/44lbs    G.W.:30kgs/66lbs

Installation size: 680\*600\*860mm/ 27\*24\*34 in



## Squat plate

**Model:** 7357

### FEATURES

1. Main frame adopts 58\*101\*3.0mm semi-elliptic pipe, Q235 qualified.
2. Adjustable seat to ensure performance for different users
3. The machine can be used in both deep squat and sit up training.

### SPECIFICATIONS

N.W.: 45kgs/99lbs      G.W.:55kgs/121lbs  
Installation size: 980\*650\*480mm/39\*26\*19in  
Muscle: Leg, Hip, Waist, abdominal



# MARVELFITUSA



[marvelfitusa.com](http://marvelfitusa.com)



25 Swift Ct Clifton  
NJ 07014,  
New york USA.



[info@marvelfitusa.com](mailto:info@marvelfitusa.com)



+1(226)8998015

